



# CATALOGUE 2025

Swimming Pool Equipment



# ABOUT THE BRAND



We, Professional Pools well known importer and distributor of Swimming Pool Equipment and Accessories. Acquiring advanced technology, we provide reliable and certified products at competitive prices. These products are carefully designed and guarantee comfort and security. These products are easy to install, require minimum maintenance and provide long term pool and spa care.

We have received authenticated certification from ISO 9001: 2008 for manufacturing, importing and exporting of water treatment equipments, swimming pool items and chemicals. Certification specifies that the products offered by our company are best in quality and are worth buying. Adhering to our quality policy, we are proficient to offer first-class quality products at affordable prices and within bound timeliness. Our collection of products rigorously is tested on a variety of parameters before dispatching it to our precious clients. Our main aim to get certification is to implement the set standards is to develop the efficiency and effectiveness of company operations.

w w w . k o z i k p o o l . c o m





# Swimming Pool F i l t e r a t i o n   S y s t e m






# Top Mount

## Swimming Pool Sand Filter

Max operating pressure: 36psi/2.5bar


Max temperature of 43°C(109°F)

Suggested size of media: 1-2mm



### Highlight Features :

Max operating pressure 36psi/2.5bar  
Max temperature of 43°C (109°F)  
Universal standard of union connection provided  
Suggested size of media : 0.5-1.2mm




# Side Mount

## Swimming Pool Sand Filter

Swimming Pool Sand Filter is ideally used for outstanding water filtration processes at pools to filter away sand from the pool water. Most advanced engineering technologies are being used in manufacturing these fiberglass designed filters. This filter range is highly treasured for its key facets like admirable functionality, longer service life and optimum resistance against corrosion and chemicals.




### 6-way multiport valve



### Highlight Features :

- Max operating pressure 36psi/2.5bar
- Max temperature of 43°C (109°F)
- Maximum filtration velocity: 50m<sup>3</sup>/h/m<sup>2</sup>
- Universal standard of union connection provided
- Suggested size of media: 0.5-1.2mm



## Pipeless Filter

### F o r S w i m m i n g P o o l

The enclosure of wall-mounted filter is made of high quality acrylic, so the filter is anti-acid, anti-fading, and easy to clean. Integrated filter installation without room, simple installation, convenient operation, excellent performance,

#### Advantages:

- 1) No need pipes, no need machine room, easy to install, saving cost
- 2) More functions ( filter, spa, illumination, impact bath, cleaning, ladder)
- 3) Replace traditional sand filter
- 4) Acrylic material shell with fiberglass reinforcement, anti-acid and anti-fading

#### Essential Details:

- Brand Name: Kozik
- Model Number: KPS8025
- Product Name: Wall mounted filter
- Warranty: 1 Year
- Lighting: LED
- Certifications: CE/RoHS/ISO9001 Certificated
- Color: White and Green/Blue
- Diameter: 30mm- 120mm
- Material: Acrylic with Fiberglass
- MOQ: 1
- Voltage: 220v/50hz /60HZ





# Cartridge Filter

F o r S w i m m i n g P o o l

## Features:

- 1) Compact and light
- 2) UV-resistant tank
- 3) Easy to service
- 4) Heavy duty ring-lock lid allows easy cleaning and replacement of the cartridge element
- 5) Screw type air bleeder for easy removal of the trapped air inside the filter tank
- 6) High quality oil filled pressure gauge





# Commercial

P o o l S a n d F i l t e r

## Highlight Features:

Max Operating Pressure 36psi/2.5bar  
 Max Temperature of 43°C (109°F)  
 Universal Standard of Union Connection Provided  
 Suggested Size of Media 0.5-1.2mm







# Swimming Pool

## Motor Pumps Series





# PC / PB Series

## Swimming Pool Pump



### Highlight Features:

- Asynchronous, two poles
- Class insulation: 130
- IPX5 Waterproof standard
- Built-in thermal protection
- Overload protection
- Available in 50Hz or 60Hz with 220V/380V
- Special design union compatible for both Imperial and metric measurement standard

### Swimming Pool Water Pump:

"PB" series heavy duty pump delivers high flow and energy efficiency ultra performance. It is suitable for commercial spa pool. 2 inch suction and discharge port with transparent lid. Ring lock seal design to eliminate suction leaks and to maximize suction efficiency.

Model	Input Power	Horse Power	Qmax (L/min)	Hmax (m)	V	Packing Size (mm)
PC-100	0.97KW	1.0HP	350	12.5	220	675*315*420
PC-150	1.1	1.5	380	16.5	220	675*315*420
PB-200	1.5	2.0	500	20	220	675*315*420
PB-300	2.2	3.0	600	22	220	675*315*420
PB-300	2.2	3.0	600	22	380	675*315*420
PB-400	3.0	4.0	650	25	380	675*315*420



### Swimming Pool Water Pump:

New Heavy Duty Pump Delivers High Flow & Energy Efficient Ultra Performance is Suitable For Commercial Swimming Pool. 2 Inch Suction. Ring Lock Seal Design To Eliminate Suction Leaks.





# Swimming Pool

## Underwater Lights







**KPS-045**



**KPS-046**



**KPS-047**



**KPS-048**



**KPS-049**



**KPS-050**



**KPS-051**



**KPS-052**



**KPS-053**






# Swimming Pool

## A B S   G r a t i n g s








**Single Pin Black Colour Grating**



**Single Pin Colourful Grating**




**Single Pin Black Colour Grating**



**Three Pin Black Colour Grating**



**Single Pin Multi Colour Grating**



**Two Pin Blue Colour Grating**





# Swimming Pool

## Stainless Steel Ladders







**MU Series SS Ladder**



**SF Series SS Ladder**



**SL Series SS Ladder**



**SP Series SS Ladder**





# Swimming Pool


## Competition Equipment







**Pool Lane Divider**




**Antiwave Lane Divider**



**Ball Lane Divider**



**Pool Starting Block**



**Strock Indigator**



**Back Strock Indigator**



**Pool Lane Tightner**



**Lane Storage Reel**



**Lane Storage Reel**





# Swimming Pool

## Cleaning Equipment







**Wall Cleaning Brush**



**Algae Cleaning Brush**



**Telescopic Pole**



**Leaf Cleaning Net**




**Hose Pipe**




**Water Treatment Kit**



**Aluminium Suction Head**



**8 Wheel Suction Head**



**Triangular Suction Head**





# Swimming Pool

## Fittings & Nozzles







**Adjustable Nozzle**



**Eyeball Nozzle**



**Difusser Nozzle**



**Suction Nozzle**



**Junction Box**



**Air & Water Tee Body**



**Nine Hole Jet**



**Gutter Drain**



**Multi Hole Air Bubble Jet**





# Swimming Pool

## Life Saving Equipment







**Lifebuoy Ring**



**Life Guard Jacket**



**Life Guard Jacket**



**Folding Stretcher**



**Lifebuoy Ring**



**Swimming Ring**



**Swimming Ring**



**Lifebuoy Ring**



**Floating Bed**





# Swimming Pool

## Heating System







**Swimming Pool Heat Pump**



**Spa Heater**



**Electro Heater**



**Commercial Heat Pump**




**Pool Heater / Spa Heater**






# Swimming Pool

## Water Features







**Cobra Waterfall**



**Dolphin Waterfall**



**Cascade Waterfall**



**Rectangular Waterfall**



**Water Decent**



**Rectangular Waterfall**





# Swimming Pool

## C h e m i c a l s







**Cobra Waterfall**



**Copper Sulphate**



**Alum**



**TCCA 90 Granular**



**Soda Ash**




**Pool Cleaner**






# Swimming Pool


## G l a s s   T i l e s








**KPS-4454**




**KPS-4455**




**KPS-4456**




**KPS-4457**



**KPS-4458**




**KPS-4459**



**KPS-4460**



**KPS-4461**




**KPS-4462**





# Swimming Pool

## Furniture







**KPS-4565**



**KPS-4566**



**KPS-4567**



**KPS-4568**



**KPS-4569**



**KPS-4570**





**Address:** B-49, Chander Vihar, Nilothi, New Delhi-110085 (INDIA)

**Phone:** +91-9818058371, +91-9810958371

**Mail:** [info@kozikpool.com](mailto:info@kozikpool.com)

**Website:** [www.kozikpool.com](http://www.kozikpool.com)